

WS402



UPC Code: 07847707899

Country of Origin: Mexico - *Eligible for
ARRA funded projects > \$7,443,000



Switches and Motor Controls

Brand Features

Leviton's Industrial Grade AC Welder Starting Switch is designed to withstand the rigors of this application. They are equipped with a traditional strap mount, and the hole for mounting hardware supports panel mounting with self-threading fasteners or pop rivets. They are also capable of accommodating bus bar termination in multi-gang applications. Leviton's Industrial Grade AC Welder Starting Switch is designed to withstand the rigors of this application. They are equipped with a traditional strap mount, and the hole for mounting hardware supports panel mounting with self-threading fasteners or pop rivets. They are also capable of accommodating bus bar termination in multi-gang applications.

Item Description

40 Amp, 600 Volt, Toggle Double-Pole AC Welder Starting Switch, Industrial Grade, Non-Grounding, Side Wired, - Black

Technical Information

AC Horsepower Ratings

250VAC: 5HP

Electrical Specifications

Grounding: Non-Grounding

Amperage: 40 Amp

Voltage: 600 Volt

Pole: 2

Dielectric Voltage: Withstands 2200V for 1 min.

Temperature Rise: 50°C Max at full rated current

Endurance: 6,000 cycles inductive motor type load

Environmental Specifications

Flammability: Rated V-0 per UL94

Operating Temperature: -40C to 60C

Material Specifications

Strap Material: Galvanized Steel

Base Material: Thermoplastic Polyester

Toggle: Thermoplastic Polyester

Cover Material: Thermoplastic Polyester

Contacts: Silver-Alloy

Terminal Screws: Brass

Mechanical Specifications

Termination: Side

Product ID: Ratings are permanently marked on device

Terminal Accom.: #10 AWG (#8 with ring terminal)

Torque Range: 14-16 inch pounds

Standards and Certifications

NEMA: WD-1 & WD-6


ANSI: C-73

UL 60947-4-1: supersedes UL 508


cUL per CSA C22.2 No. 111: File #E63969

NOM: NOM-ANCE

Warranty: 10 Year Limited



Wiring Diagram
Double Pole



SPECIFICATION SUBMITTAL

JOB NAME:	CATALOG NUMBERS:	
JOB NUMBER:		

Leviton Manufacturing Co., Inc.

201 North Service Road, Melville, NY 11747

Telephone: 1-800-323-8920 · FAX: 1-800-832-9538 · Tech Line (8:30AM-7:30PM E.S.T. Monday-Friday): 1-800-824-3005

Leviton Manufacturing of Canada, Ltd.

165 Hymus Boulevard, Pointe Claire, Quebec H9R 1E9 · Telephone: 1-800-469-7890 ·

FAX: 1-800-824-3005 · www.leviton.com/canada

Leviton S. de R.L. de C.V.

Lago Tana 43, Mexico DF, Mexico CP 11290 · Tel.: (+52)55-5082-1040 · FAX: (+52)5386-1797 · www.leviton.com.mx

Visit our Website at: www.leviton.com

© 2012-2015 Leviton Manufacturing Co., Inc. All rights reserved. Subject to change without notice.



Leviton has a global presence.

If you would like to know where your local Leviton office is located please go to: www.leviton.com/international/contacts/

**Buy American Compliant Logo -- The American Recovery And Reinvestment Act of 2009 ("ARRA") provides federal grants and loans for projects throughout the country. Section 1605 of the Act, named the "Buy American" provision, requires that certain materials and manufactured products used in projects funded by the Act be manufactured in the United States. The appearance of the Recovery Act Logo in relation to a Leviton product is only intended to reflect that such product may be used in an ARRA funded project. It does not mean that such product or Leviton is sponsored or endorsed by, or that Leviton receives funds from, the federal government or the Recovery Accountability and Transparency Board. Nothing in Leviton's use of the logo is intended to suggest anything regarding the requirements for funding under ARRA.*